




Наконечники кабельные для автоматического монтажа (Поставляются на катушках)

Серия RT



Тип	(мм)	Φ (мм)	AWG (мм)	(мм)		
				W	E	L
RT4602001	0,03	2	24-22 (0,2-0,3)	4,6	5,2	9,3
RT4602002						
RT4602003						
RT4602004						
RT4602005						
RT4602201	0,3	2,2	24-22 (0,2-0,3)	4,6	5,2	9,3
RT4602202						
RT4602203						
RT4602204						
RT4602205						
RT4602501	0,3	2,5	24-22 (0,2-0,3)	4,6	5,2	9,3
RT4602502						
RT4602503						
RT4602504						
RT4602505						
RT5002501	0,3	2,5	24-22 (0,2-0,3)	5	6,1	11,3
RT5002502						
RT5002503						
RT5002504						
RT5002505						
RT5002701	0,3	2,7	24-20 (0,2-0,5)	5,2	6,2	11,4
RT5002702						
RT5002703						
RT5002704						
RT5002705						
RT5202501	0,3	0,5	24-20 (0,2-0,5)	5,2	6,2	11,4
RT5202502						
RT5202503						
RT5202504						
RT5202505						
RT5203201	0,3	3,2	24-20 (0,2-0,5)	5,2	6,2	11,4
RT5203202						
RT5203203						
RT5203204						
RT5203205						

Тип	(мм)	Φ (мм)	AWG (мм)	(мм)		
				W	E	L
RT5502501	0,3	2,5	22-18 (0,3-0,8)	5,5	7	11,5
RT5502502						
RT5502503						
RT5502504						
RT5502505						
RT5503201	0,3	3,2	22-18 (0,3-0,8)	5,5	7	11,5
RT5503202						
RT5503203						
RT5503204						
RT5503205						
RT6002501	0,3	2,5	22-18 (0,3-0,8)	5,5	7	11,5
RT6002502						
RT6002503						
RT6002504						
RT6002505						
RT6003201	0,3	3,2	22-18 (0,3-0,8)	5,5	7	11,5
RT6003202						
RT6003203						
RT6003204						
RT6003205						
RT6003701	0,3	3,7	22-18 (0,3-0,8)	5,5	7	11,5
RT6003702						
RT6003703						
RT6003704						
RT6003705						
RT6502501	0,3	2,5	22-18 (0,3-0,8)	6,5	7,2	11,7
RT6502502						
RT6502503						
RT6502504						
RT6502505						
RT6503201	0,3	3,2	22-18 (0,3-0,8)	6,5	7,2	11,7
RT6503202						
RT6503203						
RT6503204						
RT6503205						




Тип	(мм)	Φ (мм)	AWG (SQ.мм)	(мм)		
				W	E	L
RT6503701	0,3	3,7	22-18 (0,3-0,8)	6,5	7,2	11,7
RT6503702						
RT6503703						
RT6503704						
RT6503705						
RT6504301	0,3	4,3	22-16 (0,5-1,4)	7	9,5	16,5
RT6504302						
RT6504303						
RT6504304						
RT6504305						
RT7003201	0,3	3,2	22-16 (0,5-1,4)	7	9,5	16,5
RT7003202						
RT7003201-S						
RT7003202-S						
RT7003701						
RT7003702	0,3	4,3	22-16 (0,5-1,4)	7	9,5	16,5
RT7003701-S						
RT7003702-S						
RT7004301						
RT7004302						
RT7004301-S	0,3	4,3	22-16 (0,3-1,4)	7,5	9,8	16,7
RT7004302-S						
RT7503201						
RT7503202						
RT7503203						
RT7503204	0,3	3,2	22-14 (0,5-2,0)	7,5	9,8	16,7
RT7503205						
RT7504301						
RT7504302						
RT7504303						
RT7504304	0,3	4,3	22-14 (0,5-2,0)	7,5	9,8	16,7
RT7504305						
RT7505101						
RT7505102						
RT7505103						
RT7505104	0,3	5,1	22-14 (0,5-2,0)	7,5	9,8	16,7
RT7505105						
RT7505106						
RT7505107						
RT7505108						



Тип	(мм)	Φ (мм)	AW G (SQ.мм)	(мм)		
				W	E	L
RT4602001-L	0,5	2	20-18 (0,5-0,8)	4,6	5,2	9,3
RT4602002-L						
RT4602003-L						
RT4602004-L						
RT4602005-L						
RT4602201-L		2,2				
RT4602202-L						
RT4602203-L						
RT4602204-L						
RT4602205-L						
RT4602701-L	2,7					
RT4602702-L						
RT4602703-L						
RT4602704-L						
RT4602705-L						
RT5002501-L	0,5	2,5	20-18 (0,5-0,8)	5	6,1	11,3
RT5002502-L						
RT5002503-L						
RT5002504-L						
RT5002505-L						
RT5002701-L		2,7				
RT5002702-L						
RT5002703-L						
RT5002704-L						
RT5002705-L						
RT1208401	0,5	8,4	18-14 (0,8-2,0)	12	15	23
RT1208402						
RT1208403						
RT1208404						
RT1208405						


Наконечники кабельные для автоматического монтажа (Поставляются на катушках)

Серия RL




Тип	(мм)	Φ (мм)	AW G (SQ.мм)	(мм)		
				W	E	L
RL6003201	0,4	3,2	22-18 (0,3-0,8)	6	7	11,5
RL6003202						
RL6003203						
RL6003204						
RL6003205						

Серия RH




Тип	(мм)	Φ (мм)	AWG (SQ.мм)	(мм)		
				W	E	L
RH4802501	0,3	2,5	22-20 (0,3-0,5)	4,8	7,5	13
RH4802502						
RH4802503						
RH4802504						
RH4802505						
RH4802501-L			22-18 (0,3-0,8)			
RH4802502-L						
RH4802503-L						
RH4802504-L						
RH4802505-L						

Серия TF




Тип	AW G (SQ.мм)	(мм)
TF1581101	22-18 (0,3-0,8)	0,4




Тип	(мм)	AWG (SQ.ММ)	(мм)		
			W	D	L
TF7504201	0,4 0,5	22-16 (0,3-1,5)	7,5	4,2	17,4
TF7504202					

Серия RB






Тип	(мм)
RB1507001	0,3

Серия TW




Тип	(мм)	Φ (мм)
TW1100501	0,25	0,5
TW1100502		

Серии ST, SL





Тип	(мм)	Φ (мм)	AWG (SQ.мм)	(мм)		
				W	E	L
ST1100501	0,25	0,5	22-20	3,8	6,3	15,4
ST1100502			(0,3-0,5)			
ST1100501-L			20-18			
ST1100502-L			(0,5-0,8)	4,2	7,1	15,6
SL1100501			22-20			
SL1100502			(0,3-0,5)			
SL1100501-L			20-18			
SL1100502-L			(0,5-0,8)			
SL1110501			20-18			
SL1110502	(0,5-0,8)					





Тип	(мм)	Φ (мм)	AWG (SQ.мм)	(мм)		
				W	E	L
ST1100501-XL	0,25	0,5	18-14 (0,8-2,0)	3,8	6,3	15,4
ST1100502-XL						

Серии ТТ, ТЛ




Тип	(мм)	AWG	(мм)		
			W	E	L
TT1100501	0,5	22-16	2,8	12,1	20,6
TT1100502					
TL1100501					
TL1100502					

Серии WT, WL



Тип	(мм)	Φ (мм)	AW G (SQ.мм)	(мм)		
				W	E	L
WT1100501	0,5	0,5	20-16	2,8	7	16
WT1100502			(0,8-1,5)			
WL1100501	0,5	0,5	20-15			
WL1100502			(0,8-1,5)	2,8	12	28

Серия ST




Тип	(мм)	Φ (мм)	AWG (SQ.мм)	(мм)		
				W	E	L
ST1870501	0,35	0,5	24-22 (0,3-0,8)	5,8	6,4	15
ST1870502	0,35					
ST1870503	0,4					
ST1870504	0,35					
ST1870505	0,3					
ST1870801	0,35	0,8	24-22 (0,3-0,8)	5,8	6,4	15
ST1870802	0,35					
ST1870803	0,4					
ST1870804	0,35					
ST1870805	0,3					
ST1870501-L	0,35	0,5	18 (20,8)	5,8	6,4	19,5
ST1870502-L	0,35					
ST1870503-L	0,4					
ST1870504-L	0,35					
ST1870505-L	0,3					
ST1870801-L	0,35	0,8	18 (20,8)	5,8	6,4	19,5
ST1870802-L	0,35					
ST1870803-L	0,4					
ST1870804-L	0,35					
ST1870805-L	0,3					
ST1870501-S	0,35	0,5	18-14 (0,2-0,5)	5,8	6,4	15
ST1870502-S	0,35					
ST1870503-S	0,4					
ST1870504-S	0,35					
ST1870505-S	0,3					
ST1870801-S	0,35	0,8	24-20 (0,2-0,5)	5,8	6,4	15
ST1870802-S	0,35					
ST1870803-S	0,4					
ST1870804-S	0,35					
ST1870805-S	0,3					

Тип	(мм)	Φ (мм)	AW G (SQ.мм)	(мм)		
				W	E	L
ST2050501	0,35	0,5	22-18 (0,3-0,8)	6	6,4	15
ST2050502	0,35					
ST2050503	0,4					
ST2050504	0,35					
ST2050505	0,3					
ST2050801	0,35	0,8	22-18 (0,3-0,8)	6	6,4	15
ST2050802	0,35					
ST2050803	0,4					
ST2050804	0,35					
ST2050805	0,3					
ST2050501-L	0,35	0,5	20 (2x0,5)	6	6,4	19,5
ST2050502-L	0,35					
ST2050503-L	0,4					
ST2050504-L	0,35					
ST2050505-L	0,3					
ST2050801-L	0,35	0,8	20 (2x0,5)	6	6,4	19,5
ST2050802-L	0,35					
ST2050803-L	0,4					
ST2050804-L	0,35					
ST2050805-L	0,3					
ST2050501-S	0,35	0,5	24-20 (0,2-0,5)	6	6,4	15
ST2050502-S	0,35					
ST2050503-S	0,4					
ST2050504-S	0,35					
ST2050505-S	0,3					
ST2050801-S	0,35	0,8	24-20 (0,2-0,5)	5,8	6,4	15
ST2050802-S	0,35					
ST2050803-S	0,4					
ST2050804-S	0,35					
ST2050805-S	0,3					


Тип	(мм)	Φ (мм)	AW G (SQ.мм)	(мм)		
				W	E	L
ST2500801	0,4	0,8	18-14 (0,8-2,0)	7,6	7,8	19,2
ST2500802						
ST2500803						
ST2500804						
ST2500805			14-12 (2,0-3,0)			
ST2500801-L						
ST2500802-L						
ST2500803-L						
ST2500804-L						
ST2500805-L						

Наконечники кабельные для автоматического монтажа (Поставляются на катушках)


Серия RP




Тип	(мм)	Φ (мм)	AWG (SQ.мм)	W	E	L
RP2030001	0,25	2	24-20	2,5	8	13,6
RP2030006			(0,2-0,5)			
RP2800001			20-18			
RP2800003	0,4	2	(0,5-0,8)	2,8	6	17
RP2800005			2x0,8			
RP2800001-L						
RP2800003-L						
RP2800005-L						
RP3100001	0,3	2,5	20-18	3,1	6	11,6
RP3100002			(0,5-0,8)			
RP3100006						





Тип	(мм)	Φ (мм)	AWG (SQ.мм)	W	E	L
RP6505501	0,4	5,5	24-22	6,5	7,95	11,95
RP6505502			(0,2-0,3)			



Тип	(мм)	Φ (мм)	AWG (SQ.мм)
RP2702101	0,3	2	24-20
RP2702106			(0,2-0,5)
RP2902301	0,3	2,36	24-20
RP2902306			(0,2-0,5)




Тип	(мм)	Φ (мм)	AWG (SQ.мм)
RP2400001	0,3	2,4	24-20
RP2400002			(0,2-0,5)




Тип	(мм)	Φ (мм)	AWG (SQ.мм)	W	E	L
RP2350001	0,35	2,35	20-18	3,05	9,6	15,6
RP2350002			(0,5-0,8)			
RP2350001-S						
RP2350002-S						
RP7606801	0,4	6,8	22-18	7,6	5	12
RP7606802			(0,3-0,8)			

Серия MS




Тип	(мм)	AWG (SQ.мм)
MS2500002	0,2	26-22 (0,1-0,3)
MS2000002		




Тип	(мм)	AWG (SQ.мм)
MS3964702	0,25	24-18 (0,2-0,8)

Серия SL-C




Тип	(мм)	Φ (мм)	AWG (SQ.мм)	W	E	L
SL2500801-C	0,4	0,8	18-14	7,6	7,8	19,2
SL2500802-C			(0,8-2,0)			

Серия ST-T




Тип	(мм)	Φ (мм)	AWG (SQ.мм)	W	E	L
ST1870501-T	0,3	0,5	20-18	5,6	5	19
ST1870502-T			(0,5-0,8)			
ST2500801-T	0,4	0,8	18-14	7,6	7,5	22,4
ST2500802-T			(0,8-2,0)			
ST1100501-T	0,25	0,5	22-18	3,8		
ST1100502-T			(0,3-0,8)			

Серия PF



Тип	(мм)	Φ (мм)	AWG (SQ.мм)	W	E	L
PF3560001	0,4	3,56	20-14	3,56	7,25	17,5
PF3560002			(0,5-2,1)			
PF3960001	0,4	3,56	20-14	3,96	7,25	17,5
PF3960002			(0,5-2,1)			




Тип	(мм)	Φ (мм)	AWG (SQ.мм)	W	E	L
PF2050001	0,25	2,05	22-18	2,55	10	19
PF2050002			(0,3-0,8)			

Серия RD




Тип	(мм)	Φ (мм)	AWG (SQ.мм)	W	E	L
RD2672701	0,3	2,67	20-18	3,6	10	16,8
RD2672702			(0,5-0,8)			
RD2672704						
RD2672706						
RD2672707						
RD2742801	0,3	2,74	20-18	3,7	10	16,8
RD2742802			(0,5-0,8)			
RD2742804						
RD2742806						
RD2742807						

Серия CT




Тип	(мм)	AWG (SQ.мм)
CT4800001	0,3	22-20 (0,3-0,5)
CT4800001-L		

Серия TT



Тип	(мм)	AWG (SQ.мм)	W	E	L
TT3500001	0,3	20-18 (0,3-0,8)	3,5	7	12
TT3500005					



Тип	(мм)	AWG (SQ.мм)	W	E	L
TT4600001	0,3	24-22 (0,2-0,3)	4,6	5,2	9,3
TT4600005					
TT5000001	0,3	24-20 (0,2-0,5)	5	6,1	11
TT5000005	0,4				
TT6500001	0,3	22-18 (0,3-0,8)	6,5	7,2	12
TT6500005	0,4				
TT7500001	0,3	20-14 (0,5-2,1)	7,5	9,8	17
TT7500005	0,4				

Серия ST




Тип	(мм)	AWG (SQ.мм)	W	E	L
ST2602001	0,25	20-18	2,6		
ST2602002		(0,5-0,8)			
ST2602004					
ST2602005					
ST2602006					
ST2602007					
ST2602001-L					
ST2602002-L					
ST2602004-L	0,25	20-14	3,2		
ST2602005-L		(0,5-2,0)			
ST2602006-L					
ST2602007-L					




Наконечники кабельные для автоматического монтажа (Поставляются на катушках)


Серия WS




Тип	(мм)
WS2600001	0,3
WS2600002	
WS2600005	



Тип	(мм)
WS2700001	0,3
WS2700002	
WS2700005	




Тип	(мм)
WS2700001-S	0,3
WS2700002-S	
WS2700005-S	




Тип	(мм)
WS270A001	0,3
WS270A002	
WS270A005	




Тип	(мм)
WS2900001	0,3
WS2900002	
WS2900005	




Тип	(мм)
WS3000001	0,3
WS3000002	
WS3000005	




Тип	(мм)
WS300A001	0,3
WS300A002	
WS300A005	



Тип	(мм)
WS2700001-C	0,3
WS2700002-C	
WS2700005-C	



Тип	(мм)	AWG (SQ.мм)	(мм) W	(мм) E	(мм) L
WS1806001	0,25	20-18 (0,5-0,8)	2,6	2	
WS1806002					
WS1806601					
WS1806602					




Тип	(мм)
WS1800001	0,25




Тип	(мм)	AWG (SQ.мм)
WS2650001	0,3	26-22 (0,1-0,3)
WS2650002		

Серия BC



Тип	(мм)	AWG (SQ.мм)	(мм) W	(мм) E	(мм) L
BC4500001	0,4	22-20 (0,3-0,5)	4,5	1,3	7
BC4500002					
BC6000001		22-18 (0,3-0,8)	6	1,3	7
BC6000002					

Серия HP




Тип	(мм)	(мм) W	(мм) E	(мм) L
HP1200003	0,3	3	12	
HP1200005				

Серия TP



Тип	(мм)
TP0950001	0,36



Тип	(мм)
TP6703201	0,36

Штангенциркуль цифровой

Диапазон: 0...150 мм
Точность: 0,01мм

Цена 1190 руб.

